

Alloy	Dimensions	Thickness	No. of pieces
CuZn38Pb1,5/2	ø 30	0.15	865
CuNi18Zn20	ø 30	0.16	472
CuZn38Pb1,5/2	ø 37	0.20	1700
CuNi18Zn20	ø 54	0.20	340
CuZn33	ø 42	0.22	1345
CuZn36	ø 42	0.30	232
CuZn33	ø 40	0.30	1410
CuZn33	ø 42	0.36	1730
CuZn33	ø 42	0.38	15220
CuZn36	ø 42	0.40	1010
CuZn33	ø 45	0.40	1638
CuZn33	ø 42	0.40	8240
CuSn3Zn9	ø 42	0.40	884
CuZn28	ø 44	0.40	3360
CuZn33	ø 50	0.40	645
CuZn36	ø 38	0.42	250
Cuivre E-CU - ETP	ø 45	0.50	106
CuZn33	ø 42	0.48	4750
Cuzn33	ø 50	0.58	420
CuZn33	ø 42	0.60	14870
CuZn33	ø 40	0.60	3130
CuSn8	ø 38	0.70	276
CuNi18Zn20	ø 42	0.70	8060
CuZn33	ø 45	0.60	300
CuZn33	ø 45	0.63	2000
CuZn36	ø 68	0.80	246
CuZn33	ø 40	0.80	2855

The provided information in this document is informative without any guarantee. They do not imply any contractual obligation on our behalf.



CuZn33	ø 42	0.90	2890
CuZn36	ø 59.5	0.90	580
CuNi18Zn20	ø 42	1.00	488
CuNi18Zn20	ø 42	1.00	875
CuZn33	ø 42	1.00	2480
CuZn36	ø 44	1.00	1330
CuZn36	ø 68	1.00	152
CuZn33	ø 50	1.00	198
CuZn33	ø 42	1.15	10440
CuZn38Pb1,5/2	ø 42	1.50	375
CuZn33	ø 68	1.50	73
CuZn38Pb1,5/2	ø 42	1.60	500
CuZn33	ø 42	1.60	464
CuZn36	ø 48	1.65	113
CuZn36	ø 48	1.65	138
CuZn38Pb1,5/2	ø 42	1.80	512
CuZn36	ø 48	1.65	123
CuZn38Pb1,5/2	ø 42	2.20	300
CuZn38Pb1,5/2	ø 42	2.40	344
CuZn38Pb1,5/2	ø 42	2.60	570
CuZn38Pb1,5/2	ø 42	2.80	365
CuZn38Pb1,5/2	ø 42	3.00	302

Conditions

Quantities in stock, subject to intermediate sale
 Hardness: consult us

Edition 2025/06

