

<b>Alloy</b>	<b>Dimensions</b>	<b>Thickness</b>	<b>No. of pieces</b>
CuZn38Pb1,5/2	ø 37	0.20	1'700
CuNi18Zn20	ø 54	0.20	340
CuZn36	ø 42	0.30	1'247
CuZn33	ø 40	0.30	1'410
CuZn33	ø 42	0.36	1'730
CuZn33	ø 42	0.38	15'220
CuZn28	ø 44	0.40	3'360
CuSn3Zn9	ø 42	0.40	884
CuZn33	ø 45	0.40	1'638
CuZn33	ø 42	0.40	8'240
CuZn36	ø 42	0.40	1'010
CuZn36	ø 38	0.42	3'698
CuZn33	ø 42	0.48	4'750
Cuivre E-CU-ETP	ø 45	0.50	106
CuZn33	ø 50	0.58	420
CuZn33	ø 42	0.60	14'870
CuZn33	ø 40	0.60	3'130
CuZn33	ø 45	0.63	2'000
CuNi18Zn20	ø 42	0.70	8'060
CuSn8	ø 38	0.70	296
CuZn36	ø 68	0.80	246
CuZn33	ø 40	0.80	2972
CuZn36	ø 68	0.80	246
CuZn33	ø 40	0.80	2'972
CuZn33	ø 42	0.90	2'890
CuZn36	ø 59.5	0.90	580
CuNi18Zn20	ø 42	1.00	875

The provided information in this document is informative without any guarantee. They do not imply any contractual obligation on our behalf.



CuZn36	ø 44	1.00	1'330
CuZn36	ø 68	1.00	152
CuNi18Zn20	ø 42	1.00	488
CuZn33	ø 42	1.00	2'730
CuZn33	ø 42	1.15	10'440
CuZn33	ø 50	1.50	329
CuZn38Pb1,5	ø 42	1.50	375
CuZn33	ø 68	1.50	78
CuZn38Pb1,5/2	ø 35.9	1.50	0
CuZn38Pb1,5/2	ø 42	1.60	500
CuZn33	ø 42	1.60	464
CuZn36	ø 48	1.65	113
CuZn36	ø 48	1.65	338
CuZn36	ø 48	1.65	123
CuZn38Pb1,5/2	ø 42	1.80	512
CuZn38Pb1,5/2	ø 42	2.20	300
CuZn38Pb1,5/2	ø 42	2.40	344
CuZn36	ø 35	2.50	950
CuZn38Pb1,5/2	ø 42	2.60	590
CuZn38Pb1,5/2	ø 42	2.80	365
CuZn38Pb1,5/2	ø 42	3.00	312

**Conditions**

Quantities in stock, subject to intermediate sale

Hardness: consult us

Edition 2025/01

